L Number	Hits	Search Text	DB	Time stamp
1	2	@ad<20000802 and 4882752.pn.	USPAT; US-PGPUB;	2004/05/13
			EPO; JPO; DERWENT; IBM TDB	10.03
_	2	@ad<20000802 and 5815660.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13
-	5	5815660.URPN.	IBM_TDB USPAT	2004/05/03
-	7	("4167730" "4924461" "4937818" "5088094" "5132680" "5166675" "5361260").PN.	USPAT	13:55 2004/05/03 14:09
_	21		USPAT	2004/05/03 14:09
-	5	5815660.URPN.	USPAT	2004/05/03
_	13	@ad<20000802 and ("4167730" "4924461" "4937818" "5088094" "5132680" "5166675" "5361260").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03
-	6	@ad<20000802 and ("4167730" "4924461" "4937818" "5088094" "5132680" "5166675" "5361260").pn. and master and slave and poll\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:14
_	6	@ad<20000802 and ("4167730" "4924461" "4937818" "5088094" "5132680" "5166675" "5361260").pn. and master and slave and poll\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03
_	42	@ad<20000802 and master same slave same poll\$4 same broadcast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:41
_	76	@ad<20000802 and master same slave and session near10 slaves	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:46
_	31	@ad<20000802 and master same session near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:54
-	33	@ad<20000802 and broadcast near20 session near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 14:57
_	267	@ad<20000802 and 709/227.ccls. and broadcast	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:58
-	1	@ad<20000802 and 709/227.ccls. and broadcast same master same slave	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 14:59
-	7	@ad<20000802 and 709/227.ccls. and broadcast same session near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 15:04

_	52	@ad<20000802 and 709/227.ccls. and master same slave	USPAT; US-PGPUB;	2004/05/03 15:15
			EPO; JPO; DERWENT; IBM TDB	
-	237	<pre>@ad<20000802 and receiv\$3 near10 chang\$4 near10 answer\$3</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 15:16
-	15	<pre>@ad<20000802 and receiv\$3 near5 mode near10 chang\$4 near10 answer\$3 near5 mode</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 15:21
_	88	@ad<20000802 and receiv\$3 near5 mode near10 (chang\$4 or switch\$4) near10 answer\$3 near5 mode	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 15:22
-	17	<pre>@ad<20000802 and receiv\$3 near5 mode near10 (chang\$4 or switch\$4) near10 answer\$3 near5 mode same modem</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 15:31
_	o	@ad<20000802 and master near20 session adj3 request\$4 near20 slave	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 15:32
_	11	@ad<20000802 and master same session adj3 request\$4 same slave	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:11
-	226	@ad<20000802 and answer\$4 adj mode same modem	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:13
-	26	@ad<20000802 and answer\$4 adj mode same modem and receiv\$4 adj mode	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:22
-	94	@ad<20000802 and answer\$4 adj mode same modem same (switch\$4 or change\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:22
_	65	@ad<20000802 and answer\$4 adj mode same modem near15 (switch\$4 or change\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:32
_	1	@ad<20000802 and answer\$4 adj mode same modem near15 (switch\$4 or change\$4) and master and slave	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/03 16:33
-	88	@ad<20000802 and (answer\$4 or transmi\$5) adj mode same modem near15 (switch\$4 or change\$4) and (recepti\$5 or receiv\$4) adj mode	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 16:35
-	42	@ad<20000802 and (answer\$4 or transmi\$5) adj mode same modem near15 (switch\$4 or change\$4) same (recepti\$5 or receiv\$4) adj mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/03 16:44

-	42	@ad<20000802 and ((answer\$4 or transmi\$5)	USPAT;	2004/05/03
		adj mode) same (modem near15 (switch\$4 or	US-PGPUB;	17:29
		change\$4)) same ((recepti\$5 or receiv\$4)	EPO; JPO;	
		adj mode)	DERWENT; IBM TDB	
_	19	4626623.URPN.	USPAT	2004/05/03
	1	1020023.0KEN.	OSPAI	17:11
_	6176	@ad<20000802 and modem near5 receiv\$4	USPAT;	2004/05/03
		near20 transmit\$4	US-PGPUB;	17:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5209		USPAT;	2004/05/03
		near5 transmit\$4	US-PGPUB;	17:30
		,	EPO; JPO; DERWENT;	
			IBM TDB	
l _	378	@ad<20000802 and modem near5 receiv\$4	USPAT;	2004/05/03
		near5 transmit\$4 near20 (switch\$4 or	US-PGPUB;	17:31
		chang\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	79	•	USPAT;	2004/05/03
		near5 transmit\$4 near20 (switch\$4 or	US-PGPUB;	17:34
		chang\$4) same mode	EPO; JPO; DERWENT;	
			IBM TDB	
_	3	@ad<20000802 and modem near20 receiv\$4	USPAT;	2004/05/03
		near20 default near10 transmit\$4 near20	US-PGPUB;	17:33
		(switch\$4 or chang\$4)	EPO; JPO;	1,100
		(DERWENT;	
			IBM_TDB	
-	3	•	USPAT;	2004/05/03
		near20 default near20 transmit\$4 near20	US-PGPUB;	17:34
		(switch\$4 or chang\$4)	EPO; JPO;	
			DERWENT;	
1_	57	@ad<20000802 and modem near20 default	IBM_TDB USPAT;	2004/05/03
	37	near20 (recept\$4 or receiv\$4)	US-PGPUB;	17:46
		Incar20 (recept) of receivery	EPO; JPO;	17.10
			DERWENT;	
			IBM_TDB	
-	11		USPAT;	2004/05/03
		near20 (recept\$4 or receiv\$4) near3 mode	US-PGPUB;	17:44
			EPO; JPO;	
			DERWENT;	
1_	7	("4167730" "4924461" "4937818"	IBM_TDB USPAT	2004/05/03
	1	(4167730	JULAI	18:00
		"5361260").PN.		
-	5	1	USPAT	2004/05/03
		"5088094" "5132680" "5166675"		18:06
		"5361260").PN. and master and slave		
-	1		USPAT	2004/05/03
		"5088094" "5132680" "5166675"		18:06
1		"5361260").PN. and master and slave and broadcast		
_	23		USPAT;	2004/05/03
1	23		US-PGPUB;	18:21
1			EPO; JPO;	
1			DERWENT;	
1		· ·	IBM_TDB	
-	2	4626623.pn.	USPAT;	2004/05/03
1			US-PGPUB;	18:25
1			EPO; JPO;	
			DERWENT; IBM TDB	
1_	42	@ad<20000802 and master same slave same	USPAT;	2004/05/03
	""	poll\$4 same broadcast	US-PGPUB;	18:34
			EPO; JPO;	
			DERWENT;	
			IBM TDB	Į į

Search History 5/13/04 4:25:39 PM Page 3

18.

poll\$4 near10 time	05/03 05/03 05/13
EPO; JPO; DERWENT; IBM_TDB - 12 @ad<20000802 and master same slave same USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 13 @ad<20000802 and master same slaves Same poll\$4 near10 time USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 4 @ad<20000802 and ("6434117" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 4 @ad<20000802 and ("6434117" US-PGPUB; USPAT; US-PGPUB; O9:08	05/03 05/03 05/13
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPUB; US-PGPUB; O9:08	05/03 05/13
- 12 @ad<20000802 and master same slave same poll\$4 near10 at near3 time	05/03 05/13
- 12 @ad<20000802 and master same slave same USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; Same poll\$4 near10 time USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; U	05/03 05/13
poll\$4 near10 at near3 time	05/03 05/13
EPO; JPO; DERWENT; IBM_TDB 13	05/03 05/13
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	05/13
- 13 @ad<20000802 and master same slaves USPAT; 2004/US-PGPUB; 18:39 - 4 @ad<20000802 and ("6434117" USPAT; 1BM_TDB	05/13
- 13 @ad<20000802 and master same slaves USPAT; 2004/ 18:39 same poll\$4 near10 time US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/ "6212196").pn. US-PGPUB; 09:08	05/13
same poll\$4 near10 time	05/13
EPO; JPO; DERWENT; IBM_TDB 4 @ad<20000802 and ("6434117" USPAT; 2004/"6212196").pn. US-PGPUB; 09:08	05/13
DERWENT; IBM_TDB Gad<20000802 and ("6434117" USPAT; 2004/ "6212196").pn. US-PGPUB; 09:08	•
- 4 @ad<20000802 and ("6434117" USPAT; 2004/"6212196").pn. US-PGPUB; 09:08	•
- 4 @ad<20000802 and ("6434117" USPAT; 2004/ US-PGPUB; 09:08	•
"6212196").pn. US-PGPUB; 09:08	•
DERWENT;	
IBM TDB	
	05/13
same slaves US-PGPUB; 10:04	•
Same Slaves US-PGPOB; 10:04	
DERWENT;	
IBM TDB	
	05/13
slaves US-PGPUB; 09:22	•
EPO; JPO;	
DERWENT;	
IBM TDB	
	05/13
or multipoint or multidrop) same slaves US-PGPUB; 09:39	•
EPO; JPO;	
DERWENT;	
IBM TDB	
	05/13
answer\$4 near3 mode same (switcj\$4 or US-PGPUB; 10:13	•
chang\$4 or convert\$4 or shift\$4 or swap\$4 EPO; JPO;	
or trade or turn\$4) DERWENT;	
IBM TDB	
	05/13
answer\$4 adj3 mode same (switcj\$4 or US-PGPUB; 10:16	
chang\$4 or convert\$4 or shift\$4 or swap\$4 EPO; JPO;	
or trade or turn\$4) same modem DERWENT;	
IBM TDB	
- 153 @ad<20000802 and receiv\$4 adj3 mode same USPAT; 2004/	05/13
(answer\$4 or transmit\$4) same (switcj\$4 US-PGPUB; 10:18	
or chang\$4 or convert\$4 or shift\$4 or EPO; JPO;	
swap\$4 or trade or turn\$4) same modem DERWENT;	
IBM_TDB	
	05/13
(answer\$4 or transmit\$4) same (switcj\$4 US-PGPUB; 10:19	
or chang\$4 or shift\$4 or turn\$4) same EPO; JPO;	
modem DERWENT;	
IBM_TDB	
	05/13
((answer\$4 or transmit\$4) adj3 mode) same US-PGPUB; 10:23	
(switcj\$4 or chang\$4 or shift\$4 or EPO; JPO;	
turn\$4) same modem DERWENT;	
IBM_TDB	
	05/13
((answer\$4 or transmit\$4) adj3 mode) same US-PGPUB; 10:31	
(switcj\$4 or chang\$4 or shift\$4) same EPO; JPO;	
modem DERWENT;	
IBM_TDB	05.415
	05/13
switch\$4) same receiv\$4 same answer\$4 US-PGPUB; 10:50	
EPO; JPO;	
DERWENT;	
IBM_TDB	

•		

	20	@ad<20000802 and modem Near50 (chang\$4 or switch\$4) near50 receiv\$4 adj50 answer\$4	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 10:43
			DERWENT; IBM TDB	
-	17	<pre>@ad<20000802 and modem Near50 (chang\$4 or switch\$4) near50 origina\$3 adj50 answer\$4</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/05/13 10:44
		<u>.</u>	DERWENT; IBM TDB	
-	1748	<pre>@ad<20000802 and (chang\$4 or switch\$4) near50 receiv\$4 near50 answer\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 10:56
-	205	<pre>@ad<20000802 and (chang\$4 or switch\$4) near50 receiv\$4 near50 answer\$4 same request</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13
-	122	<pre>@ad<20000802 and (chang\$4 or switch\$4) near50 receiv\$4 near50 answer\$4 near50 request</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 11:18
-	5	@ad<20000802 and (chang\$4 or switch\$4) near50 receiv\$4 near50 answer\$4 near50 request and master same slave	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 11:22
-	10	("3967058" "4404672" "4432089" "4467473" "4484028" "4514840" "4592051" "4637016" "4754273"	IBM_TDB USPAT	2004/05/13 11:16
-	5	"4792940").PN. ("3967058" "4404672" "4432089" "4467473" "4484028" "4514840" "4592051" "4637016" "4754273"	USPAT	2004/05/13 11:16
-	. 5	"4792940").PN. and master and slave @ad<20000802 and slave near20 (chang\$4 or switch\$4) near50 receiv\$4 near50 answer\$4 near50 request	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 13:33
-	9	@ad<20000802 and master near30 multicast near10 request	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 13:49
-	104	@ad<20000802 and master near30 broadcast near10 request	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/13 13:49
-	25	@ad<20000802 and master near30 broadcast near10 request near20 slaves	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 14:23
_	10	<pre>@ad<20000802 and master near30 broadcast near10 request near20 slaves same (answer or respon\$4)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/05/13 13:50
_	10	5418937.URPN.	IBM_TDB USPAT	2004/05/13
-	3	5418937.URPN. and master and slave and	USPAT	2004/05/13
-	12	request @ad<20000802 and master near30 broadcast near10 request near10 communication	USPAT; US-PGPUB; EPO; JPO;	14:10 2004/05/13 16:03
			DERWENT; IBM TDB	

Search History 5/13/04 4:25:39 PM Page 5